



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.


JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

IX. *On the Chemical Action of Atmospheric Electricity.* By ALEXANDER BARRY, Esq. F.L.S. Communicated by JOHN GEORGE CHILDREN, Esq. Sec. R.S., &c. &c.

Read Feb. 24, 1831.

THE intimate connection existing between the chemical constitution of various substances and their condition in regard to electricity, has now been long known. So true is this, that the very order of their affinities has also, for a considerable period, been acknowledged as greatly within the control of this agent. With this object in view, the electrical influence, as exhibited in the ordinary way, as well as by the Voltaic battery, has successively confirmed its results in the experiments of NICHOLSON, CAVENDISH, Sir H. DAVY, CHILDREN, and the French chemists. This being the case, it is not my purpose to advert to any new source of electrical accumulation, but to describe what appears to me as the link connecting the researches of Dr. FRANKLIN with the electro-chemical theory of Sir H. DAVY. With this view, in August 1824, I elevated the kite in an atmosphere favourable to the exhibition of its phenomena. It was raised from an apparatus firmly fixed in the earth, and was insulated by a glass pillar. The usual shocks were felt on touching the string, which simple fact I am induced to mention from the circumstance of no electrometer having been employed. The portion of string let out with a double gilt thread passed through it, was about five hundred yards. I then made the connection shown in the accompanying sketch, where the straight glass tubes A B, having platina wires passed from above half way down their axes, and standing in their respective glass cups C D, were filled with a solution of sulphate of soda coloured with syrup of violets, connected also with each other by the bent glass tube E, likewise filled with the above solution in the usual manner. A portion of gilt thread *d* was then brought from the tube at A and united to the kite-string K, whilst a similar thread *b* was carried from B to the earth. Bub-

bles of hydrogen in A and of oxygen in B, soon appeared. In about ten minutes, the blue liquid in A became green from the separation of the soda,



whilst the sulphuric acid, by passing to the pole in the tube B, changed its contents, as usual, red. The experiment was then discontinued. In having the honour to communicate the result to the Royal Society, I must remark, that it was my intention to have pursued this simple application of electricity, in the expectation of arriving at more extended and important conclusions, which, however, numerous circumstances have hitherto prevented me from accomplishing.